
## In the Claims

Please amend the claims by deleting the text shown as strikethrough and adding the text shown in underline.

- 1. (Currently amended) An isolated <u>Lipid Metabolism Protein (LMP)</u> nucleic acid comprising a polynucleotide sequence encoding a polypeptide that functions as a modulator of a seed storage compound in a plant, wherein the polynucleotide sequence is selected from the group consisting of:
  - a) a polynucleotide sequence as defined in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:73, SEQ ID NO:75, SEQ ID NO:77, SEQ ID NO:79, and SEQ ID NO:81; and
  - b) a polynucleotide sequence encoding a polypeptide as defined in: SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEQ ID NO:78, SEQ ID NO:80, and SEQ ID NO:82-;
  - c) a polynucleotide sequence having at least 70% sequence identity with the LMP nucleic acid of a) or b) above;
  - d) a polynucleotide sequence that is complementary to the full-length LMP nucleic acid of a) or b) above; and
  - e) a polynucleótide sequence that hybridizes under stringent conditions to the nucleic acid of a) or b) above.

- 2. (Original) The isolated LMP nucleic acid Claim 1, wherein the polynucleotide sequence encodes a polypeptide sequence selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEQ ID NO:78, SEQ ID NO:80, and SEQ ID NO:82.
- 3. The isolated LMP nucleic acid of Claim 1, wherein the polynucleotide (Original) sequence is selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:73, SEQ ID NO:75, SEQ ID NO:77, SEQ ID NO:79, and SEQ ID NO:81.
- 4. (Cancelled)
- 5. (Cancelled)
- (Currently amended) An-The isolated nucleic acid comprising a of Claim 1, wherein the 6. polynucleotide having sequence has at least 90% sequence identity with the full-length LMP nucleic acid of a) or b) of Claim 1.
- (Currently amended) An-The isolated nucleic acid comprising a of Claim 1, wherein the 7. polynucleotide sequence is complementary to the <u>full-length</u> LMP nucleic acid<u>of a) or b) of</u> Claim 1.

- 8. (Currently amended) An—The isolated nucleic acid that—of Claim 1, wherein the polynucleotide sequence hybridizes under stringent conditions to the nucleic acid of a) or b) of Claim 1.
- 9. (Currently amended) An expression vector comprising an LMP The isolated nucleic acid of Claim 1, wherein the nucleic is located in an expression vector.
- 10. (Currently amended) The expression vector of Claim 1,9, wherein the LMP nucleic acid is operatively linked to a heterologous promoter selected from the group consisting of a seed-specific promoter, a root-specific promoter, and a non-tissue-specific promoter.
- 11. (Currently amended) A method of producing a transgenic plant having a modified level of a seed storage compound comprising, transforming a plant cell with an expression vector comprising a lipid metabolism protein (LMP) nucleic acid and generating from the plant cell the transgenic plant, wherein the nucleic acid encodes a polypeptide that functions as a modulator of a seed storage compound in the plant, and wherein the nucleic acid comprises a polynucleotide sequence selected from the group consisting of:
  - a) a polynucleotide sequence as defined in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:73, SEQ ID NO:75, SEQ ID NO:77, SEQ ID NO:79, and SEQ ID NO:81; and
  - b) polynucleotide sequence encoding a polypeptide as defined in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID



NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEO ID NO:78, SEO ID NO:80, and SEO ID NO:82.82;

- a polynucleotide sequence having at least 70% sequence identity with the LMP nucleic acid of a) or b) above;
- a polynucleotide sequence that is complementary to the full-length LMP nucleic acid of a) or b) above; and
- a polynucleotide sequence that hybridizes under stringent conditions to the nucleic acid of a) or b) above.
- 12. (Original) The method of Claim 11, wherein the LMP nucleic acid comprises a polynucleotide sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:73, SEQ ID NO:75, SEQ ID NO:77, SEQ ID NO:79, and SEQ ID NO:81.
- The method of Claim 11, wherein the LMP nucleic acid comprises a 13. (Original) polynucleotide sequence encoding a polypeptide selected from the group consisting of SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEO ID NO:28, SEO ID NO:30, SEO ID NO:32, SEO ID NO:34, SEO ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEQ ID NO:78, SEQ ID NO:80, and SEQ ID NO:82.
- 14. The method of Claim 11, wherein the level of a seed storage compound is (Original) increased in the transgenic plant as compared to the wild type plant.
- (Original) 15. The method of Claim 14, wherein the LMP nucleic acid encodes the polypeptide as defined in SEO ID NO:28.

- 16. (Original) The method of Claim 11, wherein the LMP nucleic acid is operatively linked to a heterologous promoter selected from the group consisting of a seed-specific promoter, a root-specific promoter, and a non-tissue-specific promoter.
- 17. (Cancelled)
- 18. (Cancelled)
- 19. (Cancelled)
- 20. (Currently amended) The method of Claim 19,11, wherein the LMP nucleic acid comprises a polynucleotide having at least 90% sequence identity with the LMP nucleic acid of Claim 1 a) or b) of Claim 11.
- 21. (Currently amended) A method of producing a transgenic plant having a modified level of a seed storage compound comprising, transforming a plant cell with an expression vector comprising a LMP nucleic acid and generating from the plant cell the transgenic plant, wherein the nucleic acid encodes a polypeptide that functions as a modulator of a seed storage compound in the plant, and The method of Claim 11, wherein the LMP nucleic acid comprises a first nucleic acid that hybridizes under stringent conditions to the nucleic acid of Claim 1 a) or b) of Claim 11.
- 22. (Currently amended) A method of producing a transgenic plant having a modified level of a seed storage compound comprising, transforming a plant cell with an expression vector comprising a LMP nucleic acid and generating from the plant cell the transgenic plant, wherein the nucleic acid encodes a polypeptide that functions as a modulator of a seed storage compound in the plant, and The method of Claim 11, wherein the LMP nucleic acid comprises a polynucleotide complementary to the LMP nucleic acid of Claim 1 a) or b) of Claim 11.
- 23. (Cancelled)
- 24. (Currently amended) A method of modulating the level of a seed storage compound in a plant comprising, modifying the expression of an-a Lipid Metabolism Protein (LMP) nucleic acid

in the plant, wherein the LMP nucleic acid comprises a polynucleotide sequence is selected from the group consisting of: the LMP nucleic acids of Claims 1, 4, 5, 6, 7, or 8.

- a) a polynucleotide sequence as defined in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:73, SEQ ID NO:75, SEQ ID NO:77, SEQ ID NO:79, and SEQ ID NO:81;
- b) polynucleotide sequence encoding a polypeptide as defined in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEQ ID NO:78, SEQ ID NO:80, and SEQ ID NO:82;
- c) a polynucleotide sequence having at least 70% sequence identity with the LMP nucleic acid of a) or b) above;
- d) a polynucleotide sequence that is complementary to the full-length LMP nucleic acid of a) or b) above; and
- e) a polynucleotide sequence that hybridizes under stringent conditions to the nucleic acid of a) or b) above.
- 25. (Currently amended) The method of any one of Claims 11, 18, 19, 20, 21, or 22, Claim 11, wherein the LMP nucleic acid encodes a polypeptide that contains a DNA-binding domain.
- 26. (Original) The method of Claim 25, wherein the LMP nucleic acid encodes a polypeptide selected from the group consisting of SEQ ID NO:2, SEQ ID NO:16, SEQ ID NO:28, SEQ ID NO:34, SEQ ID NO:64, SEQ ID NO:74, and SEQ ID NO:80.



- 27. (Currently amended) The method of Claims 11, 18, 19, 20, 21, or 22, Claim 11, wherein the nucleic acid encodes a polypeptide that contains a protein kinase domain.
- 28. (Original) The method of Claim 27, wherein the nucleic acid encodes a polypeptide selected from the group consisting of SEQ ID NO:20, SEQ ID NO:44, SEQ ID NO:46, and SEQ ID NO:62.
- 29. (Currently amended) The method of Claims 11, 18, 19, 20, 21, or 22, Claim 11, wherein the nucleic acid encodes a polypeptide that contains a signal transduction domain.
- 30. (Original) The method of Claim 29, wherein the nucleic acid encodes a polypeptide selected from the group consisting of SEQ ID NO:4, SEQ ID NO:12, SEQ ID NO:42, SEQ ID NO:48, SEQ ID NO:56, SEQ ID NO:68, and SEQ ID NO:72.
- 31. (Currently amended) The method of Claims 11, 18, 19, 20, 21, or 22, Claim 11, wherein the nucleic acid encodes a polypeptide that contains a protease domain.
- 32. (Original) The method of Claim 31, wherein the nucleic acid encodes a polypeptide selected from the group consisting of SEQ ID NO:8, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:52, and SEQ ID NO:66.
- 33. (Currently amended) The method of Claims 11, 18, 19, 20, 21, or 22, Claim 11, wherein the nucleic acid encodes a polypeptide that contains a lipid metabolism domain.
- 34. (Original) The method of Claim 33, wherein the nucleic acid encodes a polypeptide selected from the group consisting of SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, SEQ ID NO:18, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, and SEQ ID NO:30.
- 35. (Currently amended) The method of Claims 11, 18, 19, 20, 21, or 22, Claim 11, wherein the nucleic acid encodes a polypeptide that contains an oxidoreductase domain.
- 36. (Original) The method of Claim 35, wherein the nucleic acid encodes a polypeptide selected from the group consisting of SEQ ID NO:32, SEQ ID NO:36, SEQ ID NO:54, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:70, SEQ ID NO:76, SEQ ID NO:78, and SEQ ID NO:82.

- 37. (Currently amended) A transgenic plant made by the a method of any one of the methods of claims 11, 18, 19, 20, 21, or 22, comprising, transforming a plant cell with an expression vector comprising a lipid metabolism protein (LMP) nucleic acid, and generating from the plant cell the transgenic plant, wherein expression of the LMP nucleic acid in the plant results in a modified level of a seed storage compound in the plant as compared to a wild type variety of the plant, and wherein the nucleic acid comprises a polynucleotide sequence selected from the group consisting of:
  - a) a polynucleotide sequence as defined in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, SEQ ID NO:9, SEQ ID NO:11, SEQ ID NO:13, SEQ ID NO:15, SEQ ID NO:17, SEQ ID NO:19, SEQ ID NO:21, SEQ ID NO:23, SEQ ID NO:25, SEQ ID NO:27, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:33, SEQ ID NO:35, SEQ ID NO:37, SEQ ID NO:39, SEQ ID NO:41, SEQ ID NO:43, SEQ ID NO:45, SEQ ID NO:47, SEQ ID NO:51, SEQ ID NO:53, SEQ ID NO:55, SEQ ID NO:57, SEQ ID NO:59, SEQ ID NO:61, SEQ ID NO:63, SEQ ID NO:65, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:73, SEQ ID NO:75, SEQ ID NO:77, SEQ ID NO:79, and SEQ ID NO:81;
  - b) a polynucleotide sequence encoding a polypeptide as defined in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, SEQ ID NO:10, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:16, SEQ ID NO:18, SEQ ID NO:20, SEQ ID NO:22, SEQ ID NO:24, SEQ ID NO:26, SEQ ID NO:28, SEQ ID NO:30, SEQ ID NO:32, SEQ ID NO:34, SEQ ID NO:36, SEQ ID NO:38, SEQ ID NO:40, SEQ ID NO:42, SEQ ID NO:44, SEQ ID NO:46, SEQ ID NO:48, SEQ ID NO:52, SEQ ID NO:54, SEQ ID NO:56, SEQ ID NO:58, SEQ ID NO:60, SEQ ID NO:62, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:68, SEQ ID NO:70, SEQ ID NO:72, SEQ ID NO:74, SEQ ID NO:76, SEQ ID NO:78, SEQ ID NO:80, and SEQ ID NO:82;
  - c) a polynucleotide sequence having at least 70% sequence identity with the LMP nucleic acid of a) or b) above;
  - d) a polynucleotide sequence that is complementary to the full-length LMP nucleic acid of a) or b) above; and
  - e) a polynucleotide sequence that hybridizes under stringent conditions to the nucleic acid of a) or b) above.

- 38. (Original) The transgenic plant of Claim 37, wherein the plant is a dicotyledonous plant.
- 39. (Original) The transgenic plant of Claim 37, wherein the plant is a monocotyledonous plant.
- 40. (Original) The transgenic plant of Claim 37, wherein the plant is an oil producing species.
- 41. (Cancelled)
- 42. (Original) The transgenic plant of Claim 37, wherein the level of the seed storage compound is increased in the transgenic plant as compared to the wild type variety of the plant.
- 43. (Cancelled)
- 44. (Cancelled)
- 45. (Cancelled)
- 46. (Cancelled)